

AUDIO VISUAL

product catalogue

Mounts, Shelves & Cabinets

issue 05-2026



Scan the QR code to view our
Audio Visual Mounts features
and installation videos

AUDIO VISUAL MOUNTS, SHELVES & CABINETS



FIXED TV MOUNTS	02
TILTABLE TV MOUNTS	04
FULL-MOTION TV MOUNTS	05
MONITOR DESKTOP MOUNTS	09
TV MOUNT BUNDLE KITS	10
CEILING TV MOUNTS	12
MOTORIZED TV MOUNTS	14
PROJECTOR MOUNTS	15
MOBILE AV STAND	16
AV SHELVES, MOUNTS & TRAYS	17
SPEAKER MOUNTS	20
NETWORK CABINETS & ACCESSORIES	22





Fixed TV Mounts



TV Wall Mount Slim Fixed 23"-42" (40kg)

TVARMECPL06


- Screen Size: 23" ~ 42"
- Dimensions: 22x243x231mm
- Mounting Hole Pattern: VESA & Universal
- Max. VESA: 200x200
- Profile: 22mm
- Load rating: 40kg



Screen Size
23" ~ 42"



Max Weight
40kg



Swivel Angle
N/A



Tilt Angle
N/A





Distance to wall
22mm

TV Wall Mount Slim Fixed 23"-42" (50kg)

TVARMECPL04S


- Screen Size: 23" ~ 42"
- Dimensions: 25x250x250mm
- Mounting Hole Pattern: Universal
- Max. VESA: 220X230mm
- Profile: 25mm
- Load rating: 50kg



Screen Size
23" ~ 42"



Max Weight
50kg



Swivel Angle
N/A



Tilt Angle
N/A




Distance to wall
25mm

TV Wall Mount Heavy Duty Fixed 60"-120" (120kg)

TVARMECPL10

- Screen Size: 60" ~ 120"
- Dimensions: 29x890x431mm
- Mounting Hole Pattern: VESA & Universal
- Max. VESA: 800x400
- Profile: 29mm
- Load rating: 120kg





 Screen Size 60" ~ 120"	 Max Weight 120kg	 Swivel Angle N/A	 Tilt Angle N/A	 Distance to wall 35mm
--	--	--	--	---

TV Wall Mount Ultra-Slim Fixed 37"-80" (45kg)

TVARMECPL04

- Screen Size: 37" ~ 80"
- Dimensions: 20x650x418mm
- Mounting Hole Pattern: VESA & Universal
- Max. VESA: 600x400
- Profile: 20mm
- Load rating: 45kg




 Screen Size 37" ~ 80"	 Max Weight 45kg	 Swivel Angle N/A	 Tilt Angle N/A	 Distance to wall 20mm
---	---	--	--	---

TV Tabletop Stand Adjustable 32"-70" (50kg)

TVARM-DMS01

- Screen Size: 32" ~ 70"
- Dimensions: 845x380x735mm
- Mounting Hole Pattern: VESA Compatible
- Max. VESA: 220X230mm
- Profile: 25mm
- Load rating: 50kg
- Height adjustment: 595mm/665mm/735mm





 Screen Size 32" ~ 70"	 Max Weight 50kg	 Swivel Angle N/A	 Tilt Angle -6° ~ +6°	 Cable Management YES
---	---	--	--	--

Tilttable TV Mounts

TV Wall Mount Slim Tilt 23"-42" (35kg)

TVARMECPL05S


- Screen Size: 23" ~ 42"
- Dimensions: 265x222x20.5mm
- Mounting Hole Pattern: Universal
- Max. VESA: 202x220mm
- Profile: 20.5mm
- Load rating: 35kg



Screen Size
23" ~ 42"



Max Weight
35kg



Swivel Angle
N/A



Tilt Angle
+0° ~ -14°





Distance to wall
20.5mm

TV Wall Mount Slim Tilt 37"-70" (40kg)

TVARMECPL05


- Screen Size: 37" ~ 70"
- Dimensions: 53x643x425mm
- Mounting Hole Pattern: VESA & Universal
- Max. VESA: 600x400
- Profile: 53mm
- Load rating: 40kg



Screen Size
37" ~ 70"



Max Weight
40kg



Swivel Angle
N/A



Tilt Angle
+12° ~ -12°





Distance to wall
53mm

Full Motion TV Mounts

Tilt & Swivel TV Wall Mount Extendable Arm 32"-55" (35kg)

TVARMECPL01S


- Screen Size: 32" ~ 55"
- Dimensions: 427x455x420mm
- Mounting Hole Pattern: VESA
- Max. VESA: 404x404mm
- Profile: 63~427mm
- Load rating: 35kg



Screen Size
32" ~ 55"



Max Weight
35kg



Swivel Angle
+90° ~ -90°



Tilt Angle
+15° ~ -10°





Distance to wall
63~427mm

Tilt & Swivel TV Wall Mount Extendable Arm 37"-70" (35kg)

TVARMECPL01


- Screen Size: 37" ~ 70"
- Dimensions: 427x655x420mm
- Mounting Hole Pattern: VESA
- Max. VESA: 604x404mm
- Profile: 63~427mm
- Load rating: 35kg



Screen Size
37" ~ 70"



Max Weight
35kg



Swivel Angle
+90° ~ -90°



Tilt Angle
+15° ~ -10°





Distance to wall
63~427mm

Tilt & Swivel TV Wall Mount Extra Long Arm 43"-80" (50kg)

TVARMECPL07


- Screen Size: 43" ~ 80"
- Dimensions: 1015x885x430mm
- Mounting Hole Pattern: VESA
- Max. VESA: 800x400
- Profile: 82~1015mm
- Load rating: 50kg



Screen Size
43" ~ 80"



Max Weight
50kg



Swivel Angle
+90° ~ -90°



Tilt Angle
+5° ~ -15°




Distance to wall
82~1015mm

Tilt & Swivel TV Wall Mount Full Motion 43"-90" (60kg)

TVARMECPL09


- Screen Size: 43" ~ 90"
- Dimensions: 428x840x425mm
- Mounting Hole Pattern: VESA & Universal
- Max. VESA: 800x400mm
- Profile: 77~428mm
- Load rating: 60kg



Screen Size
43" ~ 90"



Max Weight
60kg



Swivel Angle
+60° ~ -60°



Tilt Angle
+3° ~ -15°





Distance to wall
77-428mm

Rotatable TV Wall Mount 360° Flush 37"-70" (50kg)

TVARM-ROTATE


- Screen Size: 37" ~ 70"
- Dimensions: 51x642x440mm
- Mounting Hole Pattern: VESA & Universal
- Max. VESA: 600x400mm
- Profile: 51mm
- Load rating: 50kg



Screen Size
37" ~ 70"



Max Weight
50kg



Rotate Angle
360°



Tilt Angle
N/A




Distance to wall
51mm

Tilt & Swivel TV Wall Mount Full Motion 13"-27" (30kg)

TVARMLCD01

- Screen Size: 13" ~ 27"
- Dimensions: 90x115x115mm
- Mounting Hole Pattern: VESA
- Max. VESA: 100x100mm
- Profile: 90mm
- Load rating: 30kg




 Screen Size 13" ~ 27"	 Max Weight 30kg	 Swivel Angle +30° ~ -30°	 Tilt Angle +20° ~ -20°	 Distance to wall 90mm
---	---	--	--	---

Tilt & Swivel TV Wall Mount Full Motion with Arm 13"-27" (30kg)

TVARMLCD02

- Screen Size: 13" ~ 27"
- Dimensions: 330x162x115mm
- Mounting Hole Pattern: VESA
- Max. VESA: 100x100mm
- Profile: 330mm
- Load rating: 30kg




 Screen Size 13" ~ 27"	 Max Weight 30kg	 Swivel Angle +90° ~ -90°	 Tilt Angle +20° ~ -20°	 Distance to wall 330mm
---	---	--	--	--

Tilt & Swivel TV Wall Mount Full Motion with Arm 13"-27" (30kg)

TVARMLCD03

- Screen Size: 13" ~ 27"
- Dimensions: 466x232x115mm
- Mounting Hole Pattern: VESA
- Max. VESA: 100x100mm
- Profile: 176~290mm
- Load rating: 30kg






 Screen Size 13" ~ 27"	 Max Weight 30kg	 Swivel Angle +90° ~ -90°	 Tilt Angle +20° ~ -20°	 Distance to wall 176~290mm
---	---	--	--	--

Tilt & Swivel TV Wall Mount Adjustable Arm 23"-42" (30kg)

TVARMSWIVEL01


- Screen Size: 23" ~ 42"
- Dimensions: 93x230x240mm
- Mounting Hole Pattern: VESA
- Max. VESA: 200x200mm
- Profile: 49~393mm
- Load rating: 30kg



Screen Size
23" ~ 42"



Max Weight
30kg



Swivel Angle
+90° ~ -90°



Tilt Angle
+15° ~ -15°




Distance to wall
49-393mm

Tilt & Swivel TV Wall Mount Adjustable Arm 23"-55" (30kg)

TVARMSWIVEL02


- Screen Size: 23" ~ 55"
- Dimensions: 435x435x398mm
- Mounting Hole Pattern: VESA
- Max. VESA: 400x400mm
- Profile: 88~398mm
- Load rating: 30kg



Screen Size
23" ~ 55"



Max Weight
30kg



Swivel Angle
+90° ~ -90°



Tilt Angle
+20° ~ -20°



Distance to wall
88-398mm

Monitor Desktop Mounts



Single Desktop Mount 13"-27" (8kg)

TVARMECDM01

- Screen Size: 13" ~ 27"
- Height adjustable with integrated cable management.
- Swivel Angle: +90° ~ -90°
- Tilt Range: +45° ~ -45°
- Rotation: 180°
- Load rating: 8kg



Dual Desktop Mount 13"-27" (2x8kg)

TVARMECDM02

- Screen Size: 13" ~ 27"
- Height adjustable with integrated cable management.
- Swivel Angle: +90° ~ -90°
- Tilt Range: +45° ~ -45°
- Rotation: 180°
- Load rating: 2x8kg



Universal 3-in-1 Screen Cleaner Kit

LCDCLEAN

Kit contains:

- 1 x 200ml Screen Cleaner
- 1 x 300x300mm Pearl Cloth
- 1 x Soft Brush

Bundle AV Mount Kits

Sound Bar Bracket Installation Bundle

TVARM BUNDLE

- 1x Sound Bar Bracket - Mount above or under 32"-70" 15kg (TVARM-SB01)
- 1x Fibre Optical Toslink Lead Male to Male 5m (BPFOC05)
- 1x 3-in-1 Screen Cleaning Kit (LCD-CLEAN)



Full Motion Extra Long Arm Mount Installation Bundle

TVARMECPL07-COMBO

- Extra Long Arm Full Motion TV Wall Mount 43"~ 80" max. 50kg (TVARMECPL07)
- Space Ultra HD 8K HDMI Cable with 48 GBPS Bandwidth ver2.1 60Hz 1,5m (HDM8K-1.5M)
- 3-in-1 Screen Cleaner Kit (LDCLEAN)



Slim Fixed Mount Installation Bundle

TVARM-BUNDLE01

- Slim Fixed TV Wall Mount 23"~42" max. 50kg (TVARMECPL04S)
- 4K HDMI Cable with Ethernet ver2.0 60Hz 3m (HDM3E-4K)



Ultra-slim Fixed Mount with Double Shelf AV Mount

TVARMECPL04+TVARMECVT02

- Ultra-slim Fixed TV Wall Mount
37"~80" max. 45kg (TVARMECPL04)
- AV Wall Mounted Double Height Adjustable
Shelves max. 8kg per shelf (TVARMECVT02)



Ultra-slim Fixed Mount with 4K HDMI Cable

TVARM-BUNDLE02

- Ultra-slim Fixed TV Wall Mount
37"~80" max. 45kg (TVARMECPL04)
- 4K HDMI Cable with Ethernet ver2.0 60Hz 3m
(HDM3E-4K)



Ultra-slim Fixed Mount with Triax IR Link

TVARMECPL04+TVLINKTRIAx

- Ultra-slim Fixed TV Wall Mount
37"~80" max. 45kg (TVARMECPL04)
- Triax TV Link allows control over a Set-top
Box from another location via coaxial cable
(TVLINKTRIAx)



Flat Screen Wall Mount Installation Bundle

TVARMECPL05-BUNDLE

- Slim Fixed Flat Screen Wall Mount
37"~70" max. 40kg (TVARMECPL05)
- 4x2 Wall Plate Frame (WFC-4X2)
- Bull Nose Insert (WPI-BULL)
- 4K HDMI Cable with Ethernet ver2.0 60Hz 3m
(HDM3E-4K)





Ceiling Mounts



Full Motion TV Ceiling Mount Height Adjustable 37"-70" (2x45kg)

TVARMPL03

- Screen Size: 37" ~ 70"
- Dimensions: 680x435x1128mm
- Mounting Hole Pattern: Universal
- Max. VESA: 440x410
- Profile: 605x405mm
- Load rating: 2x45kg



Screen Size
37" ~ 70"



Max Weight
2x45kg



Swivel Angle
+180° ~ -180°



Tilt Angle
+5° ~ -20°




Distance to Ceiling
560 ~ 910mm

Full Motion TV Ceiling Mount Height Adjustable 23"-42" (50kg)

TVARMECPL02S-H


- Screen Size: 23" ~ 42"
- Dimensions: 180x220x1580mm
- Mounting Hole Pattern: VESA
- Max. VESA: 200x200
- Profile: 970~1470mm
- Load rating: 50kg



Screen Size
23" ~ 42"



Max Weight
50kg



Swivel Angle
360°



Tilt Angle
+0°~-15°





Distance to Ceiling
970~1470mm

Full Motion TV Ceiling Mount Height Adjustable 32"-55" (50kg)

TVARMECPL02S


- Screen Size: 32" ~ 55"
- Dimensions: 180x480x1675mm
- Mounting Hole Pattern: Universal
- Max. VESA: 440x410
- Profile: 970~1470mm
- Load rating: 50kg



Screen Size
32" ~ 55"



Max Weight
50kg



Swivel Angle
360°



Tilt Angle
+0°~-15°





Distance to Ceiling
970~1470mm

Full Motion TV Ceiling Mount Height Adjustable 37"-70" (50kg)

TVARMECPL02


- Screen Size: 37" ~ 70"
- Dimensions: 180x864x1680mm
- Mounting Hole Pattern: Universal
- Max. VESA: 830x410mm
- Profile: 1010~1480mm
- Load rating: 50kg



Screen Size
37" ~ 70"



Max Weight
50kg



Swivel Angle
360°



Tilt Angle
+0°~-15°




Distance to Ceiling
1010~1480mm

Motorized Swing TV Wall Mount with Remote control 32"-75" (50kg)

TVARMEC-MOTOR

- Screen Size: 32" ~ 75"
- Suitable for Flat or Curved TV's
- Motorized Lateral Screen Position
- Swing: 0° ~ +170°
- Dimensions: 56x1220x430mm
- Mounting Hole Pattern: VESA & Universal
- Max. VESA: 600x400
- Profile: Min.56mm
- Load rating: 50kg





 Screen Size 32" ~ 75"	 Max Weight 50kg	 Curved TV YES	 Swivel Angle 0°~+170°	 Distance to wall 56mm
---	---	---	--	---

Motorized Vertical Pop-up TV Lift with Remote control 32"-48" (50kg)

TVARMEC-MOTOR02

- Screen Size: 32" ~ 48"
- Suitable for Flat or Curved TV's
- Motorized Vertical Screen Position
- Programmable Position Memory Function
- Dimensions: 215x500x600~1560mm
- Mounting Hole Pattern: VESA & Universal
- Max. VESA: 400x400
- Profile: Min.115mm
- Load rating: 50kg




 Screen Size 32" ~ 48"	 Max Weight 50kg	 Curved TV YES	 Pop-up Lift max. 1230mm	 Profile 115mm
---	---	---	--	---

Ceiling Mount Projector Bracket Height Adjustable 360° (10kg)

TVARMPR01

- Quick release connector allows the projector to be installed quickly and then easily released for maintenance, without re-alignment.
- Surface Finish: Sand-blasted Aluminium Anodic Oxidation
- Installation: Ceiling Mounted
- Profile: 130~200mm
- Load rating: 10kg




 Max Weight 10kg	 Rotation Angle 360°	 Tilt Angle +15°~-15°	 Distance to Ceiling 130~200mm	 Cable Management YES
---	---	--	--	--

Ceiling Mount Projector Bracket Height Adjustable 360° (10kg)

TVARMPR02

- Quick release connector allows the projector to be installed quickly and then easily released for maintenance, without re-alignment.
- Surface Finish: Sand-blasted Aluminium Anodic Oxidation
- Installation: Ceiling Mounted
- Profile: 130~1060mm
- Load rating: 10kg




 Max Weight 10kg	 Rotation Angle 360°	 Tilt Angle +15°~-15°	 Distance to Ceiling 130~1060mm	 Cable Management YES
---	---	--	---	--

Wall Mount Projector Bracket Extendable Arm 360° (10kg)

TVARMPR03

- Quick release connector allows the projector to be installed quickly and then easily released for maintenance, without re-alignment.
- Surface Finish: Sand-blasted Aluminium Anodic Oxidation
- Installation: Wall Mounted
- Profile: 475~655mm
- Load rating: 10kg



 Max Weight 10kg	 Rotation Angle 360°	 Tilt Angle +15°~-15°	 Distance to Wall 475~655mm	 Cable Management YES
---	---	--	---	--



Mobile AV Trolley Economy Tilt & Height-Adjustable 37-70"

TVARM-TVST01B

- Height Adjustable Camera Shelf - perfect for interactive video conferencing
- Height Adjustable & Tilttable Mount allows for quick viewing adjustments, with 3 vertical height settings
- Internal Cable Management creates a clean and tidy finish
- Adjustable AV shelf holds up to 10kg
- Lockable Castors allows for swift movement between rooms
- AV Shelf: Max. 10kg
- Load rating: 50kg





Tilt TV Mount



Cable Management



Lockable Castors


 Screen Size 37" ~ 70"	 Max Weight 50kg	 Swivel Angle Castors	 Tilt Angle +10° ~ -10°	 Cable Management YES
--	--	---	---	---

Audio Visual Shelves, Mounts & Trays

Single Shelf AV Wall Mount Height Adjustable (8kg)

TVARMECVT01

- Height Adjustable Tempered Glass Shelves
- Dimensions: 420x353.5x220mm
- Shelf Size (LxW): 360x250mm
- Shelf Thickness: 5mm
- Weight Capacity: 8kg



Max Weight
8kg



Shelf Size
360x250mm



Tempered Glass
5mm



Distance from Wall
283.5mm




Cable Management
YES

Dual Shelf AV Wall Mount Height Adjustable (2x8kg)

TVARMECVT02

- Height Adjustable Tempered Glass Shelves
- Dimensions: 360x283.5x402mm
- Shelf Size (LxW): 360x250mm
- Shelf Thickness: 5mm
- Weight Capacity (per shelf): 8kg



Max Weight
8kg



Shelf Size
360x250mm



Tempered Glass
5mm




Distance from Wall
283.5mm



Cable Management
YES



Media Player Mount



Concealed Media Player Mount (1kg)

TVARM-APM01



- Perfect for Modems, Routers, Media Players etc.
- Hide equipment for a cleaner look.
- Quick-release tie holds your player firmly.
- Heavy-Duty Steel Construction: provides extra strength and durability
- Dimensions: 202x160x9.5mm
- Weight Capacity: 1kg
- Strength Tested: 3 Times Approved
- Installation: VESA Compatible
- TV Bracket Mounted, Wall Mounted



Concealed Media Player Mount (5kg)

TVARM-APM02

- Perfect for Modems, Routers, Media Players etc.
- Hide equipment for a cleaner look.
- Quick-release tie holds your player firmly.
- Heavy-Duty Steel Construction: provides extra strength and durability
- Dimensions: 342x224x9.5mm
- Weight Capacity: 5kg
- Strength Tested: 3 Times Approved
- Installation: VESA Compatible
- TV Bracket Mounted, Wall Mounted




Set-top Adjustable Shelves




Set-top Media Player Shelf 300mm TVARM-STB01

- Rotary Knob Design: for easy assembly or adjustment
- Rubber Pad: prevents the device from scratching and accidental dropping (securely hold the device in place)
- Flocked Fabric Cloth: prevents the display from scratching
- Air vents ensures proper ventilation and reduces overheating
- Dimensions: 300x127x37mm
- Weight Capacity: 6kg
- Strength Tested: 3 Times Approved
- Installation: Clamp



Set-top Media Player Shelf 600mm TVARM-STB02

- Rotary Knob Design: for easy assembly or adjustment
- Rubber Pad: prevents the device from scratching and accidental dropping (securely hold the device in place)
- Flocked Fabric Cloth: prevents the display from scratching
- Air vents ensures proper ventilation and reduces overheating
- Dimensions: 600x127x37mm
- Weight Capacity: 6kg
- Strength Tested: 3 Times Approved
- Installation: Clamp




Speaker Mounts

Full Motion Speaker Wall Mount Swivel & Tilt (3,5kg)

TVARMSP01

- Type: Full Motion Wall Mount
- Speaker Hole Pattern: Double Hole Slot
- Speaker Hole Dimension: M5
- Cable Management: No
- Dimensions: 60x87x47.5mm
- Profile: 60mm
- Load rating: 3.5kg




 Max	Max Weight 3.5kg	 Swivel Angle +70° ~ -70°	 Tilt Angle +20° ~ -20°	 Distance from Wall 60mm	 Cable Management NO
---	----------------------------	--	--	--	---

Full Motion Speaker Wall Mount Swivel & Tilt (3,5kg)

TVARMSP02

- Type: Full Motion Wall Mount
- Speaker Hole Pattern: Double Hole Slot
- Speaker Hole Dimension: M5
- Cable Management: No
- Dimensions: 64x50x88mm
- Profile: 64mm
- Load rating: 3.5kg





 Max	Max Weight 3.5kg	 Swivel Angle +70° ~ -70°	 Tilt Angle +20° ~ -20°	 Distance from Wall 64mm	 Cable Management NO
---	----------------------------	--	--	--	---

Full Motion Speaker Universal Mount Swivel & Tilt (15kg)

TVARMSP03

- Type: Full Motion Wall or Ceiling Mount
- Speaker Hole Pattern: Double Hole Slot
- Speaker Hole Dimension: M5
- Cable Management: No
- Dimensions: 100x100x140mm
- Profile: 140mm
- Load rating: 15kg





 Max Weight 15kg	 Swivel Angle 360°	 Tilt Angle 90°	 Distance from Wall 140mm	 Cable Management NO
---	---	--	---	---

Sound Bar Bracket (15kg) Mount above or under 32"-70" TVs

TVARM-SB01

- Type: Sound Bar Mount
- Speaker Hole Pattern: Single Hole Slot
- Speaker Hole Dimension: $\varnothing 35$
- Cable Management: No
- Dimensions: 456x66x2.5mm
- Profile: 186.5mm
- Load rating: 15kg



 Max Weight 15kg	 Swivel Angle N/A	 Tilt Angle N/A	 Distance from Wall 186.5mm	 Cable Management NO
---	--	--	---	---



Mount below TV



Mount above TV



Wall-Mounted CCTV System Security Cabinet

SR-CCTVCAB

- Fit up to 24" monitor with 50/75/100 VESA mounts (monitor must have downwards facing HDMI and Power inputs)
- Cabinet designed to take any standard 19" rack PDU, should more power outlets be required
- Capacity up to 2U mounted equipment 240-480mm width and 465mm depth
- Round 50mm knockouts on all cabinet sides with INCLUDED protective cable grommet
- Accessories include: cable mounts, captive nuts, screws and monitor brackets



Size (WxDxH)
480x185x635mm



Max. Weight
30kg

19" Wall-Mounted Lockable Network Cabinet

SR-WMC01

- 19 inch wall-mounted network equipment cabinet
- Colour: Black
- Material: Iron
- Material thickness: 1.2mm column, other 1.0mm
- Front door: Iron door with mesh & small round lock
- Built-in 4U horizontal installation column and 2U vertical installation column



Size (WxDxH)
550x170x540mm



Nett Weight
8.2kg

4U Wall-Mounted 10" Lockable Network Cabinet

SR-4UF-MINI

- Exquisite design with precise dimensions and detailed craftsmanship
- Flat-packed design for significant delivery cost saving
- Sturdy SPCC cold rolled steel welded frame structure with a powder coated finish for durability
- Reinforced, heat-treated, tempered glass front door with security lock
- High density air vents for temperature control and equipment cooling



Size (WxDxH)
325x300x240mm



Nett Weight
5.2kg

4U Wall-Mounted Lockable Network Cabinet

SR-4UF

- Exquisite design with precise dimensions and detailed craftsmanship
- Flat-packed design for significant delivery cost saving
- Organize cables coming in and out of rack cabinet
- Sturdy SPCC cold rolled steel welded frame structure with a powder coated finish for durability
- Reinforced, heat-treated, tempered glass front door with security lock
- Removable side panels and openings from rear allow easy installation and access
- High density air vents for temperature control and equipment cooling



Size (WxDxH)
570x450x280mm



Max Weight
60kg

6U Wall-Mounted Lockable Network Cabinet

SR-6UF

- Exquisite design with precise dimensions and detailed craftsmanship
- Flat-packed design for significant delivery cost saving
- Organize cables coming in and out of rack cabinet
- Sturdy SPCC cold rolled steel welded frame structure with a powder coated finish for durability
- Reinforced, heat-treated, tempered glass front door with security lock
- Removable side panels and openings from rear allow easy installation and access
- High density air vents for temperature control and equipment cooling



Size (WxDxH)
570x450x370mm



Max Weight
60kg

9U Wall-Mounted Lockable Network Cabinet

SR-9UF

- Exquisite design with precise dimensions and detailed craftsmanship
- Flat-packed design for significant delivery cost saving
- Organize cables coming in and out of rack cabinet
- Sturdy SPCC cold rolled steel welded frame structure with a powder coated finish for durability
- Reinforced, heat-treated, tempered glass front door with security lock
- Removable side panels and openings from rear allow easy installation and access
- High density air vents for temperature control and equipment cooling



Size (WxDxH)
570x450x500mm



Max Weight
60kg

Server Rack Blank Panel

SR-BP01

- Blanking panel for 19" rack
- Size: 482 x 44mm



Server Rack Brush Panel

SR-BRP01

- Cable management with brush
- Size: 482 x 436mm



24 Port 19" RJ45 CAT6 Patch Panel

SR-PP01

- 24 Port 19" RJ45 CAT6 Patch Panel for CAT6 250m transmission, 1U, 24 hole position
- Individually shielded modular jacks, used in blocks of 6



9U Server Rack Tray

SR-TRAY

- Rolled steel black cabinet tray (Max weight 90kg)
- Size: 485 x 300mm



9U Server Rack Screw & Nut Set

SR-SCREW/NUT

- M6 set
- 4 screws + 4 nuts per set



Side Mount Magnet HPH J-hooks

SR-BR-S

- Magnetic HPH J-hooks provide a wide bend radius to protect cables and a convenient built-in snap lock to keep cables in place.



Bridle Rings with Magnets

SR-BR-T

- Magnetic Bridle Rings designed for use in overhead or wall-mount applications, the strong rare earth magnets provide tremendous holding force (up to 90lbs.), while the bridle rings make pulling and inserting cable fast and easy.



Network Cabinet Single Cooling Fan

SR-FAN01

- AC fan for cooling cabinet with a noise about 24.9 dB.
- With 50 CFM, offers sufficient cooling
- Size (WxDxH): 120x120x38mm



1U Network Cabinet Cooling System with 2 Fans

SR-FAN1U

- 1U Cooling System with 2 Fans fits most 19" cabinets
- Input Frequency: 100~231V/50HZ
- Size (WxDxH): 120x120x38mm



3U Network Cabinet Cooling System with 2 Fans

SR-FAN3U

- 1U Cooling System with 2 Fans fits most 19" cabinets
- Input Frequency: 100~231V/50HZ
- Size (WxDxH): 120x120x38mm



Seamless Integration.
Boundless Opportunities.
One unique supplier!

SPACE TECHNOLOGY (PTY) LTD. - HEAD OFFICE:

78 Republic Road Ferndale, Randburg Johannesburg, 2125
PO Box 9317, Johannesburg 2000 | HELPLINE: 0861 40 41 42
email: info@spacetv.co.za | www.space-tech.co.za

JOHANNESBURG | PRETORIA | BLOEMFONTEIN | DURBAN | CAPE TOWN | EAST LONDON | PORT ELIZABETH

